Date

Monday, 17/12/2007 10:14:53 AM

User:

Linda Lacelle

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 36367

Estimate Number

: 10956

P.O. Number This Issue

NIA : 17/12/2007

S.O. No. : NA

Prsht Rev. First Issue

Type

: SMALL /MED FAB

Part Number

Drawing Name

Drawing Number

Project Number Drawing Revision

Material **Due Date** : STRUT

: D2565203

: D2565 REV E : N/A

: 24/12/2007

Qty:

4 Um: Each

Written By

Previous Run

Checked & Approved By

Comment

: Est: D 01.06.04

Added Powder Coat, Removed Polish, and

Added Inspection Levels 3 & 21 EC

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

304 RD Tube .750 x .049W

1.0

M304TR0750W049

NC BRAKE

1.8375 f(s)/Unit Total: 7.3500 f(s)

Material: 304/316 SS tubing 0.750" Dia. x 0.049" wall

(M304TR0750W049)

Batch No: 📉

2.0

BRAKE NC



Comment: BRAKE NC

Comment: Qty.:

Punch as per Dwg D2565 using DT 8313

SMALL & MEDIUM FAB RESOURCE 1





Deburr



4.0

QC5

Comment: INSPECT WORK TO CURRENT STEP

5.0

POWDER COATING

POWDER COATING

M105194



Comment: POWDER COATING

Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3



Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE			Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
				0						
			¥							

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date: OH DI
			QA: N/C Closed:	Date:

NCR:	į		WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section B		Verification	Approval Chief Eng	Approval QC Inspector		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C				
				*						
								4		
,				4						
*										
		3.								

NOTE: Date & initial all entries

Date: Monday, 17/12/2007 10:14:53 AM User: Linda Lacelle **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services **Drawing Name: STRUT** Job Number: 36367 Part Number: D2565203 Job Number: Seq. #: **Machine Or Operation: Description:** 6.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT POWDER COAT 7.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location:___ 8.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE W Dr. 1219 Job Completion

Dart Aerospace, Ltd

W/O: ,		WORK ORDER CHANGE	S					
DATE	STEP	PROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
							*	·
Part No	:	PAR #: Fault Category:	NCR:	Yes	No DQ	\ :	_ Date: _	·

QA: N/C Closed: ____ Date: _


NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B	Verification		A			
DATE	STEP	Section A			n & Section C	Approval Chief Eng	Approval QC Inspector			
		(2)			·					
		£								

NOTE: Date & initial all entries





DESIG	#	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHEC	KED N	APPROVED	DRAWING NO. REV. E
	all	111	D2565 SHEET 1 OF 1
DATE	**************************************		TITLE SCALE
04.0	05.05		STRUT 1:3
Α		96.05.03	NEW ISSUE
В		97.03.15	CORRECT D2565-111 DIM. A
С		98.10.05	UPDATED MATERIAL NOTE (TSR A603)
D		02.06.05	ADD -3XX PARTS; ADD FINISH
Ε		04.05.05	ADD D2565-401-411; RMV ANGLE D



A Sord
DIA 0.257 TO BE PUNCHED "C" DIA TO BE OPENED MANUALLY
PUNCH ENDS PER SPEC CONTROL DRAWING D2638

	PART #	Α	В	DIA C	1
,	D2565-101	20.52	19.72	0.316]
1	D2565-103	18.21	17.41	0.316	1
4	D2565-105	20.19		0.316	1
Ų.	D2565-107	13.43		*****	
	D2565-109	12.31			1
	D2565-111	13.65	12.85]
]
	D2565-201	22.79	22.00	0.316	L
ζ	D2565-203	20.75	19.95	0.316	1
	D2565-205	21.22	20.42	0.316	T
	D2565-207	16.07	15.27	13554	
	D2565-209	15.16]
	D2565-211	14.14	13.34		
	D2565-301	27.03	26.23		1
	D2565-303	25.34	24.54		1
	D2565-305	23.73	22.93	0.316	1
	D2565-307	20.86	20.06		1
	D2565-309	20.17	19.37		1
	D2565-311	16.30	15.50		1
	D2565-401	18.29	17.49	0.316	1
	D2565-403	15.64	14.84	0.316	1
	D2565-405	19.45	18.65	0.316]
	D2565-407	10.79	9.99		
	D2565-409	9.34	8.54		
ĺ	D2565-411	13.81	13.01		
					•

GENERAL NOTES

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL (REF DART SPEC. M304TR0.750W0.049)

ENSURE SEAMLESS TUBE IS USED

2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3 3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED

4) ALL DIMENSIONS ARE IN INCHES

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Dart Aerospace Ltd

W/O:		WORK ORI	DER CHANGES					
DATE	STEP	PROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					<i>3</i>			
		•						
Part No	•	PAR #: Fault Category:	NO	R: Yes	No DQA	٨:	Date:	· · · · · · · · · · · · · · · · · · ·
				QA:	N/C Closed	l:	_ Date: _	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section B		Verification	,	Approval QC Inspector	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng		
				4 4					
-							9	- : -	
		. *				*			
					400				
		6 Q.	v. 7		•		*		
		12)			<i>i</i> .		, and the second		
						,			

NOTE: Date & initial all entries